



**INSPIRE PLAY**

**BROCHURE 2023**

**PLAYGROUND  
EQUIPMENT  
PRODUCTS IN  
ECO FRIENDLY  
RECYCLED  
PLASTIC**



# CONTENTS

<b>TRIM TRAIL PRODUCTS</b>	<b>4</b>
<b>TRIM TRAIL PACKAGES</b>	<b>34</b>
<b>PLAY TOWERS</b>	<b>40</b>
<b>IMAGINATIVE PLAY</b>	<b>42</b>
<b>SAND AND WATER PLAY</b>	<b>43</b>
<b>MUD KITCHENS AND PLANTERS</b>	<b>44</b>



A lot of schools are having to condemn their timber play equipment and when you ask why this is, the answer is pretty standard.



The play equipment is no longer safe because it is either starting to rot.

The rounded timber has cracked so badly that the children are getting lots of splinters or are putting their fingers into the gaps.



So it usually falls upon the site manager to constantly maintain it, replace some parts

or as in a lot of cases, the equipment is simply condemned because it is beyond repair or is simply uneconomic to do so.



So if you consider the above, why not therefore buy recycled plastic play equipment made out this wonderful material? You have so many benefits by doing so and these are some of them:



It requires very little or nil maintenance as recycled plastic does not rot, corrode or decay



It does not splinter or have "shakes" or cracks like traditional timber does when it naturally dries out



It is very hard to vandalise (less flammable than timber) and graffiti and is resistant to algae and insects



It is hard wearing and durable – you can expect a lifetime five times than that of timber



UV resistant and available in different colours




It is eco-friendly as it manufactured 100% out of recycled plastic bottles

But of course, it is a little bit more expensive than traditional timber but if you factor in the above benefits, it actually represents very good value for money especially when you consider its extended lifespan and reduced (none) on-going maintenance costs.



Trim Trail Item

# Wobble Board



Dimensions: Length: 2m Width: 0.3m Height: 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5m Width: 3.3m

Minimum Safety Surface Area: 15.6m<sup>2</sup>

Free Fall Height: 0.5m

Assembly: Installation required

Dimensions of largest part: Length: 2m Width: 0.3m

Conformity to EN1176: Yes

Trim Trail Item

# Balance Beam



Dimensions: Length: 2m Width: 0.2m Height: 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5m Width: 3.1m

Minimum Safety Surface Area: 13.5m<sup>2</sup>

Free Fall Height: 0.30m

Assembly: Installation required

Dimensions of largest part: Length: 2m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Incline Balance Beam



Dimensions: Length: 2m Width: 0.2m Height: 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5m Width: 3.1m

Minimum Safety Surface Area: 13.5m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 2m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Zig Zag Balance Beams



Dimensions: Length: 3.25m Width: 1.2m Height: 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 6.21m Width: 4.08m

Minimum Safety Surface Area: 20.5m<sup>2</sup>

Free Fall Height: 0.3m

Assembly: Installation required

Dimensions of largest part: Length: 1.5m Width: 0.15m

Conformity to EN1176: Yes



Trim Trail Item

# Incline Balance Weave



Dimensions: Length: 2m Width: 0.45m Height: 1.6m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5m Width: 3.45m

Minimum Safety Surface Area: 16.4m<sup>2</sup>

Free Fall Height: 0.45m

Assembly: Installation required

Dimensions of largest part: Length: 2.10m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Balance Weave



Dimensions: Length: 2m Width: 0.45m Height: 1.6m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5m Width: 3.45m

Minimum Safety Surface Area: 16.4m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 2.10m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Stepping Stone Snake



Dimensions: Length: 1.9m Width: 0.57m Height: 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 4.9m Width: 3.57m

Minimum Safety Surface Area: 13.8m<sup>2</sup>

Free Fall Height: 0.5m

Assembly: Installation required

Dimensions of largest part: Length: 0.8m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Stepping Stone Set of 8



Dimensions: Length: 1.2m Width: 0.45m Height: 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 4.2m Width: 3.15m

Minimum Safety Surface Area: 11m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 0.7m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Stepping Stone Set of 6



Dimensions: Length: 1.65m Width: 0.45m Height: 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 4.65m Width: 3.45m

Minimum Safety Surface Area: 13.5m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 0.7m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Burma Bridge



Dimensions: Length: 2m Width: 1m Height: 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5m Width: 4m

Minimum Safety Surface Area: 18m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 1.7m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Suspension Bridge



Dimensions: Length: 2m Width: 1m Height: 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5m Width: 4m

Minimum Safety Surface Area: 18m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 1.7m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Wobble Log Bridge



Dimensions: Length: 1.7m Width: 1m Height: 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 4.7m Width: 3.7m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 1.7m Width: 0.15m

Conformity to EN1176: Yes



Trim Trail Item

# Crawl Net



Dimensions: Length: 2.3m Width: 1m Height: 0.6m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.3m Width: 4m

Minimum Safety Surface Area: 19m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: Length: 1.1m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Activity Cube



Dimensions: Length: 3.91m Width: 3.54m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 6.45m Width: 6.3m

Minimum Safety Surface Area: 38.7m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Activity Trail Zig Zag



Dimensions: Length: 8.08m Width: 2.42m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 10.75m Width: 5.02m

Minimum Safety Surface Area: 40m<sup>2</sup>

Free Fall Height: 0.51m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Activity Trail Inline



Dimensions: Length: 10.75m Width: 0.6m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 13.75m Width: 3m

Minimum Safety Surface Area: 40m<sup>2</sup>

Free Fall Height: 0.51m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Rope Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Net Rope Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 1m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Weave Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Cross Rope Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.4m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes



Trim Trail Item

# Drop Rope Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.3m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Hanging Log Traverse



Dimensions: Length: 2.8m Width: 0.3m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 3.15m

Minimum Safety Surface Area: 16m<sup>2</sup>

Free Fall Height: 0.51m

Assembly: Installation required

Dimensions of largest part: Length: 3.05m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# A Frame Log Climber 1.5



Dimensions: Length: 1.52m Width: 1.5m Height: 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 4.52m Width: 4.5m

Minimum Safety Surface Area: 19.5m<sup>2</sup>

Free Fall Height: 1.5m

Assembly: Installation required

Dimensions of largest part: N/A

Conformity to EN1176: Yes

Trim Trail Item

# A Frame Log Climber 1



Dimensions: Length: 0.92m Width: 1.5m Height: 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 3.5m Width: 4.5m

Minimum Safety Surface Area: 16.7m<sup>2</sup>

Free Fall Height: 1m

Assembly: Installation required

Dimensions of largest part: N/A

Conformity to EN1176: Yes

Trim Trail Item

# A Frame Climber 1



Dimensions: Length: 0.92m Width: 1.5m Height: 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 3.5m Width: 4.5m

Minimum Safety Surface Area: 16.7m<sup>2</sup>

Free Fall Height: 1m

Assembly: Installation required

Dimensions of largest part: N/A

Conformity to EN1176: Yes

Trim Trail Item

# A Frame Climber 1.5



Dimensions: Length: 1.52m Width: 1.5m Height: 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 4.52m Width: 4.5m

Minimum Safety Surface Area: 19.5m<sup>2</sup>

Free Fall Height: 1.5m

Assembly: Installation required

Dimensions of largest part: N/A

Conformity to EN1176: Yes

Trim Trail Item

# Step Up Ladder



Dimensions: Length: 1m Width: 0.3m Height: 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 3m Width: 2.15m

Minimum Safety Surface Area: 6.4m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: Length: 2.5m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Roll Over Bars



Dimensions: Length: 3.6m Width: 0.3m Height: 1.1m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 6.6m Width: 3.15m

Minimum Safety Surface Area: 20m<sup>2</sup>

Free Fall Height: 1.1m

Assembly: Installation required

Dimensions of largest part: Length: 1.7m Width: 0.15m

Conformity to EN1176: Yes



Trim Trail Item

# Pull Up Bars



Dimensions: Length: 3.6m Width: 0.3m Height: 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 6.6m Width: 3.15m

Minimum Safety Surface Area: 20m<sup>2</sup>

Free Fall Height: 1.5m

Assembly: Installation required

Dimensions of largest part: Length: 2.10m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Item

# Double Traverse Wall



Dimensions: Length: 2.44m Width: 0.32m Height: 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 5m Width: 4m

Minimum Safety Surface Area: 14.4m<sup>2</sup>

Free Fall Height: 0.65m

Assembly: Installation required

Dimensions of largest part: Length: 2.4m Width: 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package A



Dimensions: Length: 10.34m Width: 1m Height: 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 13.34m Width: 4m

Minimum Safety Surface Area: 43.7m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: 2.4m x 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package B



Dimensions: Length: 11m Width: 1m Height: 1.2m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 14m Width: 4m

Minimum Safety Surface Area: 50.3m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: 1.7m x 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package C



Dimensions: Length: 12.2m Width: 0.6m Height: 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 15.2m Width: 3.45m

Minimum Safety Surface Area: 46.2m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: 3.05m x 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package D



Dimensions: Length: 12.72m Width: 0.54m Height: 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 15.72m Width: 3m

Minimum Safety Surface Area: 45.2m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: 3.05m x 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package E



Dimensions: Length: 14.62m Width: 1.48m Height: 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 17.62m Width: 4.4m

Minimum Safety Surface Area: 62.7m<sup>2</sup>

Free Fall Height: 0.6m

Assembly: Installation required

Dimensions of largest part: 2.4m x 0.15m

Conformity to EN1176: Yes

Trim Trail Packages

# Trim Trail Package F



Dimensions: Length: 19m Width: 1.5m Height: 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 22m Width: 4.5m

Minimum Safety Surface Area: 71m<sup>2</sup>

Free Fall Height: 1.5m

Assembly: Installation required

Dimensions of largest part: 3.05m x 0.15m

Conformity to EN1176: Yes



Play Towers

# Single Activity Tower 150



Dimensions: Length: 3.37m Width: 2.5m Height: 2.4m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length: 6.71m Width: 5.5m

Minimum Safety Surface Area: 29m<sup>2</sup>

Free Fall Height: 1.5m

Assembly: Installation required

Dimensions of largest part: 3.2m x 0.15m

Conformity to EN1176: Yes

Play Towers

# Single Activity Tower 90



Dimensions: Length: 2.53m Width: 1.68m Height: 1.75m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 5.8m Width: 4.68m

Minimum Safety Surface Area: 23.8m<sup>2</sup>

Free Fall Height: 0.9m

Assembly: Installation required

Dimensions of largest part: 2.35m x 0.15m

Conformity to EN1176: Yes

Imaginative Play

# Play Boat



Dimensions: Length: 3.2m Width: 1.5m Height: 0.55m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length: 6.2m Width: 4.5m

Minimum Safety Surface Area: 23m<sup>2</sup>

Free Fall Height: 0.55m

Assembly: Installation required

Dimensions of largest part: N/A

Conformity to EN1176: Yes

Sand and Water Play

# Sand Pit



Dimensions: Length: 1.5m Width: 1.5m Height: 0.23m

Age Range: 3+ years

Play Type: Active

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: 0.3m

Assembly: Installation required

Dimensions of largest part: 1.5m x 1.5m

Conformity to EN1176: Yes

Mud Kitchens and Planters

# Bench Planter



Dimensions: Length: 2.4m Width: 0.6m Height: 0.6m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation required

Dimensions of largest part: 0.6m x 0.6m

Conformity to EN1176: N/A

Mud Kitchens and Planters

# Small Size Planter



Dimensions: Length: 0.6m Width: 0.6m Height: 0.6m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation required

Dimensions of largest part: 0.6m x 0.6m

Conformity to EN1176: N/A

Mud Kitchens and Planters

# Mid Size Planter



Dimensions: Length: 0.6m Width: 0.6m Height: 0.75m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation required

Dimensions of largest part: 0.6m x 0.6m

Conformity to EN1176: N/A

Mud Kitchens and Planters

# Mud Kitchen



Dimensions: Length: 1.05m Width: 0.46m Height: 0.96m

Age Range: 3+ years

Play Type: Active

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation required

Dimensions of largest part: 1.05m x 0.46m

Conformity to EN1176: Yes





DID YOU KNOW?

Each year  
about 12.5 million  
tonnes of plastic is  
made from fossil  
fuels

DID YOU KNOW?

More than  
30% of this plastic  
is used for  
short-lived  
packaging  
products

DID YOU KNOW?

Over 50% of  
the light  
packaging materials  
from household  
collections consist  
of plastic

We believe that recycled plastic playground products brings with it a responsibility to educate children about the importance of recycling and to continue to develop new innovative products with recycled material.

By mechanically recycling plastic from household and industrial collections, we are actively contributing to the protection of our environment and its finite resources.

Compared to conventional processes, mechanical recycling (“turning old into new”) has proven to be especially eco-efficient and CO2 reductive. By manufacturing products from 100% recycled plastic, it is in many cases diverting this waste going to landfill.

Finished products made from recycled plastic are also highly eco-friendly. Being chemically inert, they do not contaminate the environment in which they are used. They are made from 100% recycled plastic and are also 100% recyclable. They are extremely cost effective as their durability and long life eliminates any maintenance or replacement costs, which further adds to the protection of our environment.

Any offcuts created during the manufacturing process are fed back into the system. They are re-shredded and turned into another product. No plastic waste is created during the process and the material does not contain any substances that are harmful to the environment.





**INSPIRE PLAY**

Sales Enquiries  
01832 275902  
[sales@inspireplay.co.uk](mailto:sales@inspireplay.co.uk)

Orders and Delivery Enquiries  
01629 826667  
[operations@inspireplay.co.uk](mailto:operations@inspireplay.co.uk)

Inspire Play UK Ltd, Unit 10 & 11, Stonegravels Lane, Chesterfield, S41 7LF